

| L Number | Hits | Search Text        | DB  | Time stamp       |
|----------|------|--------------------|---|------------------|
| -        | 449  | (116/216).CCLS.    | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/13 14:20 |
| -        | 2    | ("5597238").PN.    | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/13 14:20 |
| -        | 1    | de-1648263-\$.did. | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/13 14:26 |
| -        | 2    | ("5231268").PN.    | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/13 14:25 |
| -        | 0    | epo with "356169"  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/13 14:26 |
| -        | 0    | epo and "356169"   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/13 14:26 |
| -        | 6    | ep and "356169"    | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/13 14:57 |
| -        | 3    | wo and "9208113"   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/13 14:57 |
| -        | 6    | wo and "9109287"   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/13 16:00 |
| -        | 2    | ("3055759").PN.    | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/13 16:06 |
| -        | 2    | ("3420205").PN.    | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/13 16:06 |
| -        | 1    | ep and "092034"    | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/13 16:08 |

|   |    |   |   |                  |
|---|----|---|---|------------------|
| - | 1  | list-p.in.                              | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/13 16:07 |
| - | 10 | ep and "92034"                          | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/13 16:08 |
| - | 1  | microwave with probe adj heater         | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/13 16:16 |
| - | 2  | microwave with probe adj heat           | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/13 16:16 |
| - | 0  | microwave adj probe and 116/\$.ccls.    | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/13 16:19 |
| - | 3  | microwave adj probe and 374/\$.ccls.    | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/13 16:19 |
| - | 1  | microwave adj probe with food           | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/13 16:21 |
| - | 4  | microwave adj probe with product        | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/13 16:22 |
| - | 1  | microwave adj probe with heat adj probe | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/13 16:23 |
| - | 4  | microwave with heat adj probe           | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/13 16:24 |
| - | 0  | electromagnetic with heat adj probe     | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/13 16:24 |
| - | 0  | electromagnet with heat adj probe       | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/13 16:25 |
| - | 3  | electro with heat adj probe             | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/13 16:25 |

|   |     |  |   |                  |
|---|-----|--|---|------------------|
| - | 236 | microwave adj probe                      | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/13 16:47 |
| - | 0   | microwave adj probe with heat adj sensor | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/13 16:48 |
| - | 559 | heat adj probe                           | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/13 16:57 |
| - | 4   | heat adj probe with microwave            | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/13 16:48 |
| - | 3   | heat adj probe with food                 | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/13 16:52 |
| - | 0   | heat adj probe with point adj source     | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/13 16:53 |
| - | 1   | heat adj probe with point with source    | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/13 16:53 |
| - | 41  | heat adj probe with source               | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/13 16:53 |
| - | 157 | heat adj probe with temperature          | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/13 17:04 |
| - | 0   | heat adj probe with activation           | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/13 17:05 |
| - | 1   | heat adj probe with activate             | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/13 17:11 |
| - | 401 | radiation adj probe                      | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/13 17:09 |
| - | 0   | radiation adj probe with food            | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/13 17:08 |

|   |      |                                       |   |                  |
|---|------|---------------------------------------|---|------------------|
| - | 1    | radiation adj probe with product\$    | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/13 17:08 |
| - | 10   | radiation adj probe with heat         | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/13 17:11 |
| - | 4    | heat adj probe with product           | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/13 17:12 |
| - | 559  | heat adj probe with heat              | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/13 17:12 |
| - | 4    | heat adj probe with heat with product | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/13 17:15 |
| - | 3    | flat with heat adj probe              | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/13 17:16 |
| - | 0    | flat adj pointed with heat adj probe  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/13 17:17 |
| - | 3693 | soldering adj iron                    | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/13 17:17 |
| - | 1    | soldering adj iron with food          | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/13 17:18 |
| - | 0    | soldering adj iron with foodstuff     | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/13 17:18 |
| - | 0    | soldering near iron with foodstuff    | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/13 17:18 |
| - | 0    | soldering with iron with foodstuff    | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/13 17:18 |
| - | 1    | soldering with iron with food         | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/13 17:18 |

|   |     |  |   |                  |
|---|-----|--|---|------------------|
| - | 0   | heating with food with soldering with iron       | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/13 17:19 |
| - | 799 | heating with soldering with iron                 | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/13 17:19 |
| - | 0   | heating with soldering with iron with perishable | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/13 17:19 |
| - | 0   | heating with soldering with iron with edible     | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/13 17:19 |
| - | 0   | heating with soldering with iron with food       | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/13 17:20 |
| - | 2   | heating with radioactive with probe              | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/13 17:20 |
| - | 23  | heating with microwave adj probe                 | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/13 17:21 |
| - | 2   | gb-2354144-\$.did.                               | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/13 17:28 |
| - | 2   | ("5582854").PN.                                  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/13 17:30 |
| - | 2   | ("4592485").PN.                                  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/13 17:30 |
| - | 2   | ("4460814").PN.                                  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/13 17:32 |
| - | 507 | microwave adj sensor                             | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/13 17:34 |
| - | 3   | microwave adj sensor with separate               | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/13 17:33 |

|   |      |   |   |                  |
|---|------|---|---|------------------|
| - | 17   | microwave adj sensor with heating                             | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/13 17:37 |
| - | 381  | microwave adj source with heating                             | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/13 17:38 |
| - | 31   | microwave adj source with heating with food                   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/13 17:47 |
| - | 4    | microwave adj source with heating with temperature adj sensor | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/13 17:49 |
| - | 1    | ep and "0092034"  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/13 17:50 |
| - | 2    | gb-2151784-\$.did.  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/13 17:51 |
| - | 2    | ("3479877").PN.   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/13 17:51 |
| - | 0    | microwave with versus with conventional adj heat              | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/13 17:52 |
| - | 18   | microwave with versus with conventional                       | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/13 17:54 |
| - | 8156 | microwave with conventional                                   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/13 17:54 |
| - | 1499 | microwave with conventional with heating                      | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/13 17:55 |
| - | 104  | microwave with conventional with heating with source          | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/13 17:55 |
| - | 226  | (116/217).CCLS.   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/13 18:13 |

|   |     |                 |   |                  |
|---|-----|-----------------|---|------------------|
| - | 95  | (116/219).CCLS. | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/13 18:13 |
| - | 197 | (374/160).CCLS. | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/13 18:13 |
| - | 141 | (374/106).CCLS. | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/13 18:14 |
| - | 425 | (374/162).CCLS. | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/13 18:14 |